

Kahm

Las Vegas, NV 89118
 orders@kahmcbd.com
 (760) 668-4617
 Lic. #CBD

Sample: 2209DBL0048.4536
 METRC Sample:

Strain: N/A
 Ordered: 09/14/2022; Sampled: 09/14/2022; Completed: 09/16/2022

Poultice 500mg

Topical, Other



Cannabinoids

- CBC
- CBCa
- CBD
- CBDa
- CBDV
- CBDVa
- CBG
- CBGa
- CBL
- CBN
- Δ8-THC
- Δ9-THC
- THCa
- THCV
- THCVa

Cannabinoids

<LOQ

0.239
mg/g

Δ9-THC + Δ8-THC

CBD

0.239
mg/g

NT

Total Cannabinoids

Moisture

Cannabinoid Profile

Analyzed by 300.18 UHPLC/PDA

| Cannabinoid | Mass | Mass | LOQ |
|------------------|--------------|---------------|-------|
| | mg/g | % | |
| CBC | <LOQ | <LOQ | 0.048 |
| CBCa | <LOQ | <LOQ | 0.048 |
| CBD | 0.239 | 0.0239 | 0.048 |
| CBDa | <LOQ | <LOQ | 0.048 |
| CBDV | <LOQ | <LOQ | 0.048 |
| CBDVa | <LOQ | <LOQ | 0.048 |
| CBG | <LOQ | <LOQ | 0.048 |
| CBGa | <LOQ | <LOQ | 0.048 |
| CBL | <LOQ | <LOQ | 0.048 |
| CBN | <LOQ | <LOQ | 0.048 |
| Δ8-THC | <LOQ | <LOQ | 0.048 |
| Δ9-THC | <LOQ | <LOQ | 0.048 |
| THCa | <LOQ | <LOQ | 0.048 |
| THCV | <LOQ | <LOQ | 0.048 |
| THCVa | <LOQ | <LOQ | 0.048 |
| Total THC | ND | ND | |
| Total CBD | 0.239 | 0.0239 | |
| Total | 0.239 | 0.0239 | |



Glen Marquez
 Laboratory Director

Kelly Zaugg
 Quality Control



4439 Polaris Ave
 Las Vegas, NV
 (702) 728-5180
 www.dblabslv.com

DB Labs will not discuss any part of this study with personnel other than those authorized by the client. This report is considered highly confidential and the sole property of the client. This Certificate shall not be reproduced except in full, without the written approval of DB Labs. The results described in this report only apply to the samples analyzed. Edibles are picked up prior to final packaging unless otherwise stated. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ=Limit of Quantitation. Pesticide LOQ=Instrument Limit of Quantitation. NA=Not Applicable, ND=Not Detected, NR=Not Reported, NT=Not Tested, TNC=Too Numerous to Count (microbial), PGR=Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. State determined action levels have variable thresholds based on uncertainty of measurement (UM) for the analyte. The "Decision Rule" for the pass/fail does not include the UM. The UM associated with the result reported in this certificate is available upon request. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using a quality system and valid testing methodologies as required by Nevada Regulations.