

Prepared for:  
**Richdel, Inc**

PO Box 1968  
Carson City, NV USA 89702

## Kahm Natural Pellets (Pre-Crushed)

Batch ID or Lot Number: <b>03230002</b>	Test: <b>Potency</b>	Reported: <b>30Mar2023</b>	USDA License: N/A
Matrix: Plant	Test ID: T000239579	Started: 28Mar2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 27Mar2023	Status: N/A

## Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.018	0.061	0.090	0.90	
Cannabichromenic Acid (CBCA)	0.017	0.056	0.060	0.60	
Cannabidiol (CBD)	0.053	0.157	1.040	10.40	
Cannabidiolic Acid (CBDA)	0.054	0.161	ND	ND	
Cannabidivarin (CBDV)	0.012	0.037	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.022	0.067	ND	ND	
Cannabigerol (CBG)	0.010	0.035	0.270	2.70	
Cannabigerolic Acid (CBGA)	0.043	0.145	0.950	9.50	
Cannabinol (CBN)	0.014	0.045	ND	ND	
Cannabinolic Acid (CBNA)	0.030	0.099	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.052	0.172	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.047	0.156	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.042	0.139	ND	ND	
Tetrahydrocannabivarin (THCV)	0.009	0.031	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.037	0.122	ND	ND	
<b>Total Cannabinoids</b>			<b>2.410</b>	<b>24.10</b>	
Total Potential THC			ND	ND	
Total Potential CBD			1.040	10.40	

## Final Approval



Karen Winternheimer  
30Mar2023  
11:37:00 AM MDT

PREPARED BY / DATE



Sam Smith  
30Mar2023  
11:40:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/62791818-3c7d-492e-a398-b8ee239429b5>

**Definitions**  
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).  
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

627918183c7d492ea398b8ee239429b5.1